2024 Industrial Footwear









STYLE# DESCRIPTION PAGE STYLE#	DESCRIPTION PAGE
--------------------------------	------------------

DIEHARD / SAFETY

DH10715 / SOLSTICE / GREY / COMP	9
DH20100 / SOLSTICE / BLACK / COMP	9
DH20122 /BONNEVILLE/BLACK/COMP	10
DH30104 / SUNBIRD/BLACK/COMP	9
DH30205 / SUNBIRD/BROWN/COMP	9
DH50115 / SQUIRE/BLACK/COMP	7
DH50124 / POLARA/BLACK/COMP	8
DH50200 / SQUIRE / BROWN / COMP	7
DH50500 / LEMANS/GREY/COMP	8
DH60100 / VENTURA / BLACK / COMP	8
DH60216 / COMET/OLIVE/COMP	7
DH60260 / CRUSADER / BURGUNDY / COMP	6
DH60440 / MALIBU 6"/RUST/COMP	5
DH60460 / MONTE / DARK BROWN/ COMP	6
DH60880 / CHARGER / WHEAT / COMP	10
DH80440 / MALIBU 8"/RUST/COMP	5
DH82997/PILLAR/BLACK/COMP	10

DIEHARD / SOFT

DH30100/TORRENT/BLACK/SOFT	13
DH50245 / COLT/RUST/SOFT	12
DH60112 / MONTE / DISTRESSED BROWN / SOFT	12
DH60155 / VENTURA/BLACK/SOFT	14
DH60157/SHADOW/BLACK/SOFT	13
DH60420 / MALIBU 6"/RUST/SOFT	11
DH60885/CHARGER/BROWN/SOFT	16
DH80420 / MALIBU 8"/RUST/SOFT	11
DH90250 /STRATUS/BROWN/SOFT	11



Index

DIEHARD BRAND	1
LEGACY COLLECTION (SAFETY TOE)	5
TALLADEGA COLLECTION (SAFETY TOE)	7
BREAKTHROUGH COLLECTION (SAFETY TOE)	9
LEGACY COLLECTION (SOFT TOE)	11
BREAKTHROUGH COLLECTION (SOFT TOE)	13
HOSS BOOTS / INDUSTRIAL FOOTWEAR	17
HEAVY DUTY	21
WESTERN BOOTS	27
OBLIQUE TOE	31
HIKERS	33
XRD MET GUARDS	39
XRD-SD MET GUARDS	41
STATIC DISSIPATIVE	42
ATHLETIC WORK	43
INSULATED	45
WOMEN'S	47
MOXIE TRADES	53



CONTACT US

888-990-4677

HOURS: MONDAY-FRIDAY 8AM-5PM EST

DIEHARDFOOTWEAR.COM

HOSSBOOTS.COM

EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM

PG. 1 PG. 2



This is our mantra. Powerful, durable, authentic, innovative... That's **DieHard®**

A brand that gives you the confidence to perform. If you're motivated by the powerful craving for new experiences, pushing boundaries and working until the job is done, then you are DieHard.

A footwear brand trusted to deliver quality, reliability, and unrivaled performance when and where it's needed. DieHard footwear is built to exceed expectations and provide confidence to handle any situation. Driven by a new look and attitude, the DieHard brand has been recharged with better materials, new looks and more comfort than ever.

BRAND LEGACY

Americans have trusted DieHard® to deliver exceptional performance and reliable products for over 50 years. Since its inception, DieHard has been at the forefront of innovation. The core of the brand's legacy is unrivaled performance in automotive batteries, which revolutionized the industry. Then in 1975, DieHard footwear was launched with the hard working customer in mind.

DieHard is growing to deliver products that reach new frontiers while still delivering the ultimate performance and dependable power customers have relied on since 1967.



DieHard.

SAFETY FEATURES



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat or cold and are good for work in extreme high or low temperatures.



SOFT TOE

Some of our boots are made without a protective toe cap. These soft toe boots still may have other features such as, Electrical Hazard or Slip Resistance in the sole.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results are available upon request.



WATERPROOF

DieHard® uses membrane technology from HyDry® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base with gel pressure point pads and a top layer of memory foam for all day comfort.



Electrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. DieHard® EH boots have been tested and pass this standard.



New style introduduction.



USA sourced leather.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base with a top layer of memory foam for all day comfort.





PG. 3 PG. 4

Safety Toe

LEGACY COLLECTION

MALIBU 6"









DH60440 RUST

TOE TYPE: CompositeToe

UPPER: Premium Tumbled USA Leather With

Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft Cushion P/U OUTSOLE: Long Wearing P/U

CONSTRUCTION: Genuine Good Year Leather

Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)



MALIBU 8"











DH80440 RUST

TOE TYPE: CompositeToe

UPPER: Premium Tumbled USA Leather With

Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft Cushion P/U

OUTSOLE: Long Wearing P/U

CONSTRUCTION: Genuine Good Year Leather

Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)



Safety Toe

LEGACY COLLECTION

MONTE













DH60460 DARK BROWN

TOE TYPE: Composite Toe **UPPER: Premium Oiled Leather** LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U CONSTRUCTION: Genuine Good Year Leather Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)







CRUSADER

TOE TYPE: Composite Toe **UPPER: Premium Tumbled USA**

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing Rubber

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH











DH60260 BURGUNDY

Leather

LINING: Leather

CONSTRUCTION: Good Year Welt

SIZING: 7-12, 13, 14 D(M) 2E(W)



PG. 5 PG. 6

Safety Toe

TALLADEGA COLLECTION

COMET

DH60216 OLIVE

TOE TYPE: Composite Toe **UPPER: Oiled Nu-buck Leather** LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Soft Density EVA **OUTSOLE: Slip-Resistant Rubber** CONSTRUCTION: Cement

SHANK: Composite ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)





SQUIRE

DH50200 BROWN

SIZING: 7-12, 13, 14 D(M) 2E(W)

DH50115 BLACK

SIZING: 7-12, 13, 14 D(M)

TOE TYPE: Composite Toe UPPER: Crazy Horse Leather LINING: Waterproof Membrane

100% Non-Metallic

FOOTBED: Removable Full Cushioned MIDSOLE: Soft Density EVA OUTSOLE: Slip-Resistant Rubber

CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH



Safety Toe

TALLADEGA COLLECTION

LEMANS

DH50500 GREY

TOE TYPE: Composite Toe UPPER: Matrix Leather & Nylon LINING: Waterproof Hydry Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Ultra Light Cushion Rebound

OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)













VENTURA

DH60100 BLACK

TOE TYPE: Composite Toe UPPER: Soft Full-Grain Leather LINING: Waterproof Hydry Membrane FOOTBED: Removable Full Cushioned MIDSOLE: Ultra-Light Cushion Rebound

OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 8-12, 13, 14 D(M) 2E(W)

















POLARA

DH50124 BLACK

TOE TYPE: Composite Toe UPPER: Full-Grain Oiled Leather LINING: Breathable Mesh FOOTBED: Removable Full Cushioned OUTSOLE: Slip-Resistant 2 Density P/U **CONSTRUCTION:** Direct Attach SHANK: Composite ASTM F3445-21 Slip-resistant

RATING: ASTM F2413-18 M/I/C EH SIZING: 7-12, 13, 14 D(M) 2E(W)













PG.7 PG. 8

Safety Toe

BREAKTHROUGH COLLECTION

SOLSTICE

DH10715 GREY

TOE TYPE: Composite Toe **UPPER:** Suede and Fabric LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Lightweight EVA

OUTSOLE: Slip-Resistant Rubber **CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)

SOLSTICE

DH20100 BLACK

TOE TYPE: Composite Toe **UPPER:** Suede and Fabric LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned

MIDSOLE: Lightweight EVA OUTSOLE: Slip-Resistant Rubber **CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)



























SUNBIRD

DH30135 BLACK

DH30205 BROWN

TOE TYPE: Composite Toe UPPER: Full-Grain Tumbled Leather LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Cushion Rebound EVA **OUTSOLE: Slip-Resistant Rubber CONSTRUCTION:** Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH SIZING: 6-12, 13, 14 D(M) 2E(W)



Safety Toe

BONNEVILLE DH20122 BLACK

TOE TYPE: Composite Toe **UPPER:** Nylon with TPU Overlay LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned MIDSOLE: Cushion Rebound EVA **OUTSOLE: Slip-Resistant Rubber CONSTRUCTION:** Cement SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2413-18 M/I/C EH

SIZING: 5-13,14 D(M) 7-12,13 2E(W)

BREAKTHROUGH COLLECTION















PILLAR

DH82997 BLACK

TOE TYPE: Steel Toe

UPPER: Full grain tumbled leather LINING: Moisture Wicking Mesh FOOTBED: Removable two density EVA

MIDSOLE: EVA **OUTSOLE: Rubber CONSTRUCTION:** Cement SHANK: Composite

RATING: ASTM F2413-17 M/I/C

SIZING: 6-12,13 D(M) SIZING: 7.5-11,12,13 2E(W)















CHARGER

DH60880 WHEAT

TOE TYPE: Composite Toe

UPPER: Nubuck

LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned

MIDSOLE: EVA

OUTSOLE: Slip-Resistant P/U CONSTRUCTION: Cement SHANK: Composite

RATING: ASTM F2413-17 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)

















PG. 9 PG. 10 Soft Toe LEGACY COLLECTION

MALIBU 6"

DH60420 RUST

TOE TYPE: Soft Toe

UPPER: Premium Tumbled USA Leather With Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing P/U CONSTRUCTION: Genuine Good Year

Leather Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 6-12, 13, 14 D(M) 8-12, 13, 14 2E(W)





MALIBU 8"

DH80420 RUST

TOE TYPE: Soft Toe

UPPER: Premium Tumbled USA Leather With Genuine Hand Sewn One Piece Moc

LINING: Leather

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing P/U **CONSTRUCTION:** Genuine Good Year

Leather Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14, D(M) 8-12, 13, 14 2E(W)



STRATUS

DH90250 BROWN

TOE TYPE: Soft Toe

UPPER: Crazy Horse Leather with Nylon LINING: Waterproof Membrane

FOOTBED: Removable Full Cushioned

MIDSOLE: Soft P/U

OUTSOLE: Long Wearing Rubber CONSTRUCTION: Good Year Welt

SHANK: Composite

RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M) 8-12 2E(W)



WATERPROOF (



Soft Toe

COLT



DH50245 DEER TAN

TOE TYPE: Soft Toe

UPPER: Premium Tumbled Leather

LINING: Leather

FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U

CONSTRUCTION: Good Year Welt

SHANK: Composite

RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M)







LEGACY COLLECTION





MONTE













DH60112 DISTRESSED BROWN

TOE TYPE: Soft Toe

UPPER: Distressed Leather LINING: Waterproof Membrane

FOOTBED: Removable Full Cushioned OUTSOLE: Long Wearing P/U CONSTRUCTION: Good Year Welt

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 7-12, 13, 14 D(M) 2E(W)







PG. 11 PG. 12

Soft Toe

BREAKTHROUGH COLLECTION

TORRENT

DH30100 BLACK

TOE TYPE: Soft Toe

UPPER: Nu-buck with Matrix Leather

LINING: Breathable Mesh

FOOTBED: Removable Full Cushioned

MIDSOLE: Ultra-Light Cushion Re-

bound P/U

OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 8-12, 13, 14 D(M) 2E(W)





SHADOW











DH60157 BLACK

TOE TYPE: Soft Toe

UPPER: Heavy Duty Nylon/TPU Overlay

LINING: Waterproof Membrane FOOTBED: Removable Full Cushioned

MIDSOLE: Light Weight EVA OUTSOLE: Slip-Resistant Rubber CONSTRUCTION: Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 6-12, 13, 14 D(M)



Soft Toe

BREAKTHROUGH COLLECTION

VENTURA









DH60155 BLACK

TOE TYPE: Soft Toe

UPPER: Soft Full-Grain Leather LINING: Waterproof Membrane with

Moisture Wicking Mesh

FOOTBED: Removable Full Cushioned MIDSOLE: Ultra-Light Cushion Rebound

P/U

OUTSOLE: Slip-Resistant Rubber **CONSTRUCTION:** Cement

SHANK: Composite

ASTM F3445-21 Slip-resistant RATING: ASTM F2892-18 EH SIZING: 8-12, 13, 14 D(M) 2E(W)



CHARGER











DH60885 BROWN

TOE TYPE: Soft Toe **UPPER: Nubuck**

LINING: Moisture Wicking Mesh FOOTBED: Removable Full Cushioned OUTSOLE: Slip-Resistant P/U

CONSTRUCTION: Cement SHANK: Composite

RATING: ASTM F2413-18 M/I/C EH

SIZING: 6-12, 13 D(M) SIZING: 8-12, 13 2E(W)



PG. 13 PG. 14

Outsoles

CRUSADER STRATUS



Soft P/U midsole rubber outsole with 90 degree defined heel.

MALIBU



Soft P/U Long-wearing P/U dual density wedge.



COLT



Single density P/U wedge.

MONTE



Long-wearing P/U.

SQUIRE



Soft EVA midsole & high slip-resistance rubber outsole.

POLARA



Direct attach dual density P/U outsole for flexibility and durability.



Soft EVA midsole with aggressive outsole.

LEMANS

COMET



slip- resistant rubber

PILLAR



EVA Midsole.

CHARGER



Slip-Resistant P/U.

SHADOW



Soft lightweight **EVA** midsole and rubber outsole with high slipresistance.

SOLSTICE



EVA midsole with slip-resistance rubber outsole.

VENTURA TORRENT



ETPU midsole with a durable rubber outsole.

SUNBIRD BONNEVILLE



Lightweight slip-and oil-resistant outsole with EVA midsole.

VALIANT



Tough heavy duty rubber outsole with a light weight EVA midsole.



POINT OF PURCHASE DISPLAYS



POINT OF PURCHASE BRANDING



PG. 15 PG. 16



HOSS BOOTS / INDUSTRIAL FOOTWEAR19
HEAVY DUTY21
60108/RANGE 6"/BLACK/COMP22
60113/CARSON 6"/BLACK/COMP21
60145/BRONC 6"/BLACK/COMP24
60215/SCOUT/BROWN/STEEL23
60413/CARSON 6"/BROWN/COMP21
60414/CARSON 6"/BROWN/SOFT21
60690/HOG/BROWN/COMP26
60892/HOG/WHEAT/COMP26
61110/RANGE 6"/BROWN/COMP22
61172/RANGE 6"/BROWN/SOFT22
62705/K-TOUGH 6"/BROWN/COMP22
80114/CROSS CUT 8" KILTIE/BLACK/COMP25
80715/CROSS CUT 8" KILTIE/BROWN/COMP25
90211/BUFORD LOGGER PULL ON/BROWN/COMP25
90215/CARTWRIGHT II WELLINGTON/BROWN/COMP23
90216/CARTWRIGHT II WELLINGTON/BROWN/SOFT23
90260/RANGER PULL ON/GOLDEN BROWN/COMP26
90416/BUCK PULL ON/BROWN/STEEL23
90690/RANGER PULL ON/BROWN/COMP26
94010/WILDFIRE/BROWN/COMP24
WESTERN BOOTS27
91065 / RUSHMORE / CHARCOAL / COMP28
92029 / LANDON / DARK GREEN / STEEL29
92030 / HUNCH/NAVY/COMP30
92042 / SHOWDOWN / BROWN / COMP30
92045 / LANDON / COGNAC RED / STEEL29
92046 / LANDON / DARK BROWN / SOFT29
92048 / LANDON / COGNAC RED / SOFT29
92060 / RUSHMORE / BROWN / SOFT28
92065 / RUSHMORE / BROWN / COMP28
94021 / WE THE PEOPLE/BROWN/COMP27
94022 / WE THE PEOPLE/BROWN/COMP27

OBLIQUE TOE	31
50138/ERIC LO/BLACK/STEEL	31
50230/ERIC LO/BROWN/SOFT	31
50238/ERIC LO/BROWN/STEEL	31
50239/ERIC HI/BROWN/STEEL	32
50250/ERIC HI/BROWN/SOFT	32
60203/STOMP 6"/BROWN/STEEL	32
HIKERS	33
50172 / WATCHMAN/BLACK/COMP	38
50251 / TRACKER/BROWN/COMP	37
50406 / FRONTIER / BROWN	38
53023 / TRAIL/GREY/COMP	37
60117 / LORNE 6"/BLACK/COMP	33
60122 / ADAM 6"/BLACK/STEEL	34
60130 / RIDGE / BLACK / COMP	37
60160 / CARTER/BLACK/COMP	34
60177 / TIKABOO / BLACK / COMP	35
60230 / RIDGE / BROWN / COMP	37
60260/TRAVERSE/BROWN/COMP	38
60267 / TICKER/BROWN/COMP	
60406 / TIKABOO / BROWN / COMP	35
60416 / LORNE 6"/BROWN/COMP	33
60421 / ADAM 6"/BROWN/STEEL	34
60473 / LORNE 6"/BROWN/SOFT	33
60542 / CARTER/BROWN/COMP	34
60877 / TICKER/WHEAT/COMP	36

Index

XRD MET GUARDS	39	INSULATED	45
30402/WORKER SLIP ON MET/BROWN/COMP	40	60100/CHILLER/BLACK/COMP	46
30404/LACER MET/BROWN/COMP	40	60150/BLIZZARD/BROWN/SOFT	45
60140/PROWL MET / BLACK/COMP	40	60242/BLAST/BROWN/COMP	45
90691/SLAG MET/BROWN/COMP	39	60466/HUDSON/BROWN/COMP	45
94030/FRACKER MET/BROWN/COMP	39	60700/CHILLER/NAVY/COMP	46
XRD-SD MET GUARDS	41	WOMEN'S	47
30240/STEPPER MET/BROWN/COMP	41	20230/RENO II/BLACK/COMP	47
60240/TIKABOO MET/BROWN/COMP	41	24533/EXPRESS/BLACK/FUSCHIA/COMP	47
		70120/LACY/BLACK/COMP	48
STATIC DISSIPATIVE	42	70419/LACY/BROWN/COMP	48
10167/SPARKS SD/BLACK/COMP	42	70423/LILY/BROWN/STEEL	48
53010/CHASER SD/GREY/COMP	42	93025/ADAH/TAN BROWN/SOFT	49
		93050/RUSHMORE/BLACK/SOFT	49
ATHLETIC WORK	43	93060/RUSHMORE/BROWN/SOFT	49
10229/RENO II/BLACK/COMP	43		
13032/EXPRESS/GREY/COMP	43	INSOLE GUIDE	50
14431/EXPRESS/BLACK/BLUE/COMP	43		
30155/METEORITE/BLACK/COMP	43	OUTSOLES	51
50147/FULL COURT/BLACK/COMP			
50148/FULL COURT/NAVY/COMP	44	POINT OF PURCHASE	52
50152/RIM FLY/BLACK/RED/COMP	44		



PG. 17

ABOUT US

About Us

HOSS Boot Company was founded with the belief that hard working men and women want more choices when it comes to selecting footwear for work. Our carefully crafted work boots and work shoes use the best materials possible to keep you safe while

HOSS has recently expanded its family of brands by acquiring the licensing for DieHard footwear. Moxie Trades women's work brand completes the group. We are excited for the future of these brands.

We continue to source globally with leathers from Argentina, Brazil and the USA as well as other countries. We have also diversified manufacturing to include India and Brazil. This allows us to never again have the sourcing crunch everyone experienced over the past two years.

The HOSS team has decades of experience at all levels from customer service to warehouse sourcing, sales and operations. We are here to help solve your business needs and mutually grow together.

Our goal is to build long term relationships with our retail partners resulting in brands that the customer comes back for over and over.


CONTACT US

888-990-4677

HOURS: MONDAY-FRIDAY 8AM-5PM EST

DIEHARDFOOTWEAR.COM HOSSBOOTS.COM

EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM



HOSSBOOTS.COM #THISISMYHOSS

HOSS ICON GUIDE

ALL SAFETY FOOTWEAR PRODUCED BY HOSS BOOT COMPANY MEETS OR EXCEEDS ASTM F2413-18 STANDARDS



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat or cold and are good for work in extreme high or low temperatures.



Steel safety toes are the industry standard and have been for years. Steel toes provide protection from falling objects and equipment.



Aluminum toes are made of lightweight materials and tend to be about 30 to 50 percent lighter than steel. Toe boxes provide the same level of safety as steel offer a bit more room than composite since aluminum is thinner than composite.



Lighter than traditional safety toe protection, the Carbon Nano toes guard your feet against impact and compression hazards



Some of our boots are made without a protective toe cap. These soft toe boots still may have other features such as. Electrical Hazard or Static Dissipation ratings and puncture plates in the sole.



HOSS uses membrane technology from HyDry® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base and a top layer of memory foam for all day comfort.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results EH boots have been are available upon tested and pass this request. standard.



Electrical Hazard Our Static Dissapating (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of requirements. more than one milliampere under dry conditions. HOSS



(SD) feature allows electric current to flow between you and the ground. HOSS SD boots meet all ASTM



Our flexible puncture resistant plate allows full sole coverage, as well as greater movement. This midsole plate is designed to reduce the hazards of puncture wounds caused by sharp objects penetrating the outsole.



MetGuard™ is a shield made with XRD® Impact Protection technology. It overlays the toe box and runs to the top of the instep, providing armor-like protection for the



HOSS uses 3M Thinsulate® insulation. Insulation can come in 200 grams and up. This is used in cold temperatures. Whether working outdoors or in a freezer, 3M Thinsulate helps keep your feet warm.



Sizes larger than 15 or widths from 4E to 6E



New style introduced

PG. 19 PG. 20

HEAVY DUTY

CARSON

60413 BROWN

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort collar
- **Ergonomic insole with contoured** fast rebound foam
- Direct attach welt with slip and oilresistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)
- (12.5 Available)

60414 BROWN (SOFT TOE)

- Soft toe
- ASTM F2892-18 EH
- Sizes 7-13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)

CARSON

60113 BLACK

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort collar
- Ergonomic insole with contoured fast rebound foam
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)















K-TOUGH

62705 BROWN

- Composite safety toe
- Full-grain leather
- HyDry® waterproof membrane
- Aramid fiber vamp that is abrasion, cut and chemical resistant designed to keep you safe in tough environments
- Ergonomic insole with contoured fast rebound foam
- High-abrasion TPU molded toe and kick off heel
- Puncture-resistant midsole
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15, 16, 17 D(M), 2E(W), 4E (XW) and 6E(XXW)















RANGE

61110 BROWN

- Composite safety toe
- Full-grain leather
- HyDry® waterproof membrane
- **Ergonomic insole with contoured** fast rebound foam
- Ankle-busting protection with foambacked rubber to absorb impact
- High-abrasion TPU molded toe and kick off heel
- Puncture-resistant midsole
- Direct attach welt with slip and oil-resistant rubber outsole
- Composite shank

Soft toe

- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH, PR
- Sizes 7-13, 14, 15, 16, 17, 18 D(M) and 2E(W) (12.5 Available)

ASTM F2892-18 EH, PR

61172 BROWN (SOFT TOE)

Sizes 7-13, 14, 15, 16, 17 D(M) and 2E(W)



























PG. 21 PG. 22

CARTWRIGHT II WELLINGTON











90215 BROWN

- Composite safety toe
- Full-grain success leather
- 10" Shaft height for wide calf
- HyDry® waterproof membrane Ergonomic insole with contoured soft-rebound foam
- High-abrasion TPU molded toe and heel kick
- Puncture-resistant midsole
- Direct attach welted and slip- and oil-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant ASTM F2413-18 M/I/C EH, PR
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)

90216 BROWN

- **ASTM F2892-18 EH, PR**
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M), 2E(W), 4E(XW) and 6E(XXW)



















SCOUT

60215 BROWN

- Steel Safety Toe
- Full-grain leather and tough nylon
- Padded suede collar for comfort
- Premium P/U cushion insole
- Goodyear welted construction P/U outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M) & 2E(W)















BUCK WELLINGTON

90416 BROWN

- **Steel safety Toe**
- Full-grain leather and tough 11" nylon shaft
- Moisture wicking mesh lining
- Pull handles for easy fit Premium P/U insole
- Goodyear welted construction with slip resistant P/U outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17, 18 D(M) & 2E(W)













60145 BLACK

- Composite safety toe
- Full-grain leather
- 100% non-metalic
- Suede tongue with padded collar
- HyDry® waterproof membrane
- Ergonomic insole with contoured soft rebound foam
- Reflective side panel
- TPU toe bumper
- Lenzi® puncture-resistant midsole
- Goodyear® 4x4 high abrasion outsole
- ASTM F2413-18 M/I/C EH, PR
- Sizes 8-12, 13, 14 D(M), 2E(W), 6E(XXW)











WILDFIRE WELLINGTON











- Composite safety toe
- Full-grain leather
- Pull handles for easy fit
- Waterproof membrane
- Premium P/U cushion insole Puncture-resistant midsole
- **EVA** midsole
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12, 13, 14 D(M) and 2E(W)



PG. 23 PG. 24

CROSS CUT LOGGER











80715 BROWN

- Composite safety toe
- Crazy horse leather
- Waterproof membrane
- Contoured cushion insole
- Non-metallic hardware
- Triple ridge steel shank
- Puncture-resistant midsole
- **Goodyear Welt Construction**
- HOSS logger high abrasion rubber outsole
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)



80114 BLACK

- Composite safety toe
- Crazy horse leather
- Non-metallic hardware
- Waterproof membrane
- Contoured cushion insole
- Triple ridge steel shank
- Puncture-resistant midsole
- **Goodyear Welt Construction**
- HOSS logger high abrasion rubber outsole
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)



BUFORD LOGGER PULL ON











90211 BROWN

- Composite safety toe
- Full-grain leather
- Contoured cushion insole
- Waterproof membrane
- Pull on handle for easy fit
- Triple ridge steel shank
- Puncture-resistant midsole
- **Goodyear Welt Construction**
- HOSS rubber logger high abrasion outsole
- **ASTM F2413-18 M/I/C EH, PR**
- Sizes 7-12, 13, 14, 15 D(M) and 2E(W)













60892 WHEAT Composite safety toe

HOG

- Full-grain nubuck leather and suede
- Suede gusset & collar
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- High-abrasion TPU molded toe and heel kick
- Direct attach welted
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) & 2E(W)

60690 BROWN

- Composite safety toe
- Full-grain oiled leather and suede
- Suede gusset & collar
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- High-abrasion TPU molded toe and heel kick
- Direct attach welted
- EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) & 2E(W)



RANGER WELLINGTON

90690 BROWN

- Composite safety toe
- Full-grain leather with nylon shaft
- Internal ankle padded lock support
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Bumper toe for tough jobs Pull handles for easy fitting
- 10.5" shaft height
- Direct attach welted
- EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant Meets ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)

90260 GOLDEN BROWN

- Composite safety toe
- Full-grain oiled caramel leather
- HyDry® waterproof membrane
- Slip-resistant rubber outsole ASTM F3445-21 Slip-resistant
- Meets ASTM F2413-18 M/I/C EH Sizes 8-12, 13, 14 D(M) and 2E(W)













WESTERN BOOTS

WE THE PEOPLE

94021 BROWN (COMP TOE)

- Composite safety toe
- Premium crazy horse leather
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Combination welt construction with phylon midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH**
- Sizes 7-12, 13, 14 D(M) and 2E(W)





WE THE PEOPLE

94022 BROWN (SOFT TOE)

- Soft toe
- Premium crazy horse leather
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Combination welt construction with phylon midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 EH**
- Sizes 7-12, 13, 14 D(M) and 2E(W)















RUSHMORE 92065 BROWN

- Composite safety toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Puncture resistant plate
- Goodyear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH PR**
- Sizes 7-12,13,14,15,16,17,18 D(M) and 2E(W)





RUSHMORE (SOFT TOE)

- **ASTM F2892-18 EH PR**
- Sizes 7-12,13,14,15,16,17,18 D(M) and 2E(W)















BIG HOSS SIZES

RUSHMORE 91065 CHARCOAL

- Composite safety toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Puncture resistant plate
- Goodyear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 M/I/C EH PR**
- Sizes 7-12,13,14,15,16,17,18 D(M) and 2E(W)

















PG. 28

LANDON

92045 COGNAC/RED

- Steel safety toe
- Full-grain cow cognac vamp
- Honcho red 11" leather shaft
- Moisture wicking mesh lining
- Premium P/U memory foam insole
- Cemented construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)



LANDON (SOFT TOE)

92048 COGNAC/RED

- Soft toe
- ASTM F2892-18 EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)









LANDON (SOFT TOE)

92046 BROWN

- Soft toe
- Full-grain dark brown leather vamp
- Honcho red 11" leather shaft
- Moisture Wicking Mesh Lining
- Pull handles for easy fit
- Premium P/U memory foam insole
- Cemented welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2892-18 EH
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)















SHOWDOWN

92042 BROWN

- Composite safety toe
- Full-grain cow vamp
- 11" leather shaft
- Waterproof membrane with moisture wicking mesh
- Premium P/U memory foam insole
- Goodyear welted construction with **EVA** midsole
- Slip-resistant rubber outsole
- Puncture resistant plate
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12,13,14,15,16,17 D(M) and 2E(W)















HUNCH

92030 GREY/NAVY

- Composite safety toe
- Full-grain cow grey vamp
- 11" leather shaft
- Moisture wicking mesh lining
- Premium P/U memory foam insole
- Cemented construction with EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12,13,14 D(M) and 2E(W)



PG.29 PG.30

OBLIQUE TOE

MADE FOR THE WIDE FOOT GUY

ERIC LO 50238 BROWN

- Oblique aluminum safety toe
- Full-grain leather and nylon upper with high-abrasion toe
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)









ERIC LO SOFT TOE

50230 BROWN

- Soft toe
- **ASTM F2892-18 EH**
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E(XXW)

ERIC LO 50138 BLACK

• Oblique aluminum safety toe

- Full-grain leather and nylon upper with high-abrasion toe
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E (XXW)



ERIC HI

50239 BROWN

- Oblique aluminum safety toe
- Full-grain crazy horse leather and nylon upper with high-abrasion
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Composite shank
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)



ERIC HI (SOFT TOE)


50250 BROWN

- Soft toe
- **ASTM F2892-18 EH**
- Sizes 7-12, 13, 14, 15, 16, 17 4E(XW) and 6E(XXW)

STOMP 60203 BROWN

- Oblique aluminum safety toe
- Full-grain leather with highabrasion toe
- HyDry® waterproof membrane
- Fast rebound super cushion insole
- Unique rebound compound sole to give bounce in step
- Cement construction wedge for support
- Composite shank
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15, 16, 17 2E(W), 4E(XW) and 6E(XXW)











HIKERS

LORNE

60117 BLACK 60416 BROWN

- Composite safety toe
- Full-grain tumbled success leather
- Reflective lace loops and side panel Suede tongue and soft padded
- comfort collar • HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 6-13, 14, 15 D(M) and 2E(W)
- (12.5 Available)































LORNE (SOFT TOE) **60473 BROWN**

- Soft toe
- Full-grain tumbled success leather Suede tongue and padded comfort

- HyDry® waterproof membrane Fast rebound super cushion insole
- Puncture-resistant midsole
- Direct attach dual density slip-resistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH PR**
- Sizes 7-12, 13, 14 D(M) and 2E(W)











CARTER

60542 BROWN 60160 BLACK

- Steel safety toe
- Full-grain leather with tough nylon side panels
- Light weight, only 1 lb 6.6 oz per boot
- Fast rebound super cushion insole
- Direct attach dual density slip resistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14 D(M) and 2E(W)



ADAM

60122 BLACK

60421 BROWN

- Steel safety toe
- Full-grain crazy horse leather
- HyDry® waterproof membrane
- Fast rebound insole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15 D(M) and 2E(W)
- (12.5 Available)



PG.33 **PG.34**

TIKABOO

60177 BLACK

60406 BROWN

- Composite safety toe
- Full-grain soft tumbled leather with nylon
- Suede tongue and padded comfort collar
- Waterproof membrane
- Premium P/U memory foam insole
- EVA midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 6-12, 13, 14, 15 D(M) and 2E(W)



COMPOSITE WATERPOOF MEMORY FOAM RESIDENT







60267 BROWN

- Composite safety toe
- Full-grain leather
- Suede tongue and padded comfort collar
- Waterproof membrane
- Premium P/U memory foam insole
- EVA midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles super cushion insoles
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 6-12, 13, 14, 15 D(M) and 2E(W)

60877 WHEAT

- Composite safety toe
- Full-grain nubuck leather
- Suede tongue and padded comfort collar
- Waterproof membrane
- Premium P/U memory foam insole
- EVA midsole
- Slip-resistant rubber outsole
- 20 oz per boot
- Includes a free second pair of fast rebound super cushion insoles
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14, 15 D(M) and 2E(W)









PG.36









TRAIL 53023 GREY

- Composite safety toe
- Action leather and mesh
- Waterproof membrane
- EVA midsole
- Rubber outsole with aggressive tread
- Fast rebound super cushion insole
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14 D(M) and 2E(W)











50251 BROWN

- Composite safety toe
- 100% Non-metallic

TRACKER

- Full-grain crazy horse leather
- HyDry® waterproof membrane
- Rubber outsole with EVA mid sole
- Fast rebound super cushion insole TPU support system gives extra
- ridgidity for extra support
- Composite shank
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14 D(M) and 2E(W)
- (12.5 Available)



RIDGE

60230 BROWN **60130 BLACK**

- Composite safety toe
- Full-grain leather
- Non metallic eyelet hooks
- Waterproof membrane
- Premium P/U cushion insole
- Puncture-resistant midsole
- **EVA** midsole
- Slip-resistant rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR
- Sizes 7-12, 13 D(M) and 2E(W)



FRONTIER

50406 BROWN


- Composite safety toe
- **Crazy horse leather**
- HyDry® waterproof membrane
- **EVA** midsole
- Slip-resistant rubber outsole
- Fast rebound super cushion insole
- Composite shank
- ASTM F2413-18 M/I/C EH PR
- Sizes 5,6,7-12, 13, 14, 15 D(M)
- Sizes 7-12, 13, 14 2E(W)



TRAVERSE

60260 BROWN

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue and padded collar
- Triple stitched sand leather toe
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach P/U midsole with cushioning heel system
- Slip resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR





COMPOSITE WATERPOOF MEMORY FOAM RESERVANT RESERVANT

WATCHMAN

50172 BLACK

- Composite safety toe
- Leather and heavy duty nylon
- Suede collar and padded tongue
- Light weight, only 1lb 4.7 oz per boot
- Fast rebound super cushion insole
- YKK Side zipper
- Direct attach outsole for flexibility
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 6-12, 13, 14, 15
- D(M) and 2E(W)







PG.37 PG.38

XRD MET GUARDS

SLAG MET













90691 BROWN

- Composite safety toe
- Premium leather with heat resistant thread
- Internal XRD met guard for your protection
- Waterproof membrane
- Full cushioned P/U insole
- Puncture-resistant
- EVA midsole
- Long wearing rubber outsole
- Composite shank
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 7-12, 13 D(M) and 2E(W)



FRACKER MET

















94030 BROWN

- Composite safety toe
- Premium leather
- Internal XRD met guard for your protection
- Waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant
- EVA midsole
- Good year welt
- Long wearing rubber outsole
- Composite shank
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 7-12, 13, 14 D(M) and 2E(W)



PROWL MET

60140 BLACK

- Composite safety toe
- Full-grain leather
- 100% Non-metallic
- Internal XRD met guard
- HyDry® waterproof membrane
- Puncture-resistant plate
- Direct attach dual density slip-resistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH PR MT
- Sizes 8-12, 13, 14 D(M) and 2E(W)







COMPOSITE WATERPROOF RESIDENT RESIDENT



30402 BROWN

WORKER SLIP ON MET

- Composite safety toe • Full-grain tumbled leather
- Padded suede comfort collar
- Premium P/U memory foam insole
- Internal XRD met guard
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant • ASTM F2413-18 M/I/C EH MT
- Dual Gender Sizing 4-12, 13, 14 D(M)







LACER MET 30404 BROWN

- Composite safety toe
- Full-grain tumbled leather
- Suede padded tongue and collar for
- Premium P/U memory foam insole
- Internal XRD met guard
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH MT
- Dual Gender Sizing 4-12, 13, 14 D(M)

















PG.39 **PG.40**

XRD-SD MET GUARDS

STATIC DISSIPATIVE

TIKABOO MET

60240 BROWN

- Composite safety toe
- Full-grain tumbled leather with nylon
- 17.5 oz per shoe
- Padded tongue and collar for comfort
- Premium P/U memory foam insole
- Internal XRD met guard
- Soft density EVA midsole
- Slip resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C SD 35 MT
- Dual Gender Sizing 4-12, 13, 14
- D(M) and 2E(W)



COMPOSITE MEMORY FOAM RESISTANT DESIPATION MET GUARD

STEPPER MET

30240 BROWN

- Composite safety toe
- Full-grain tumbled leather with nylon
- 15.9 oz per shoe
- Padded tongue and collar for comfort
- Premium P/U memory foam insole
- Internal XRD met guard
- Soft density EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C SD 35 MT
- Dual Gender Sizing 3-12, 13, 14
- D(M) and 2E(W)



SPARKS

10167 BLACK

- Composite safety toe
- Mesh and microfiber
- 100% Non-metallic
- Fast rebound super cushion insole
- Lightweight slip-and oil-resistant outsole with EVA midsole

Sizes 7-12, 13, 14 D(M) and (2E)W

- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C SD 35



CHASER

53010 GREY

- Composite safety toe
- Grooved leather and microfiber
- 100% Non-metallic
- Fast rebound super cushion insole
- EVA midsole with TPU support system
- Rubber outsole
- ASTM F2413-18 M/I/C SD 35
- Sizes 7-12, 13, 14 D(M) and (2E)W





















ATHLETIC WORK

METEORITE 30155 BLACK

- Composite safety toe
- Microfiber and mesh
- Extremely light at 12.1 oz. per pair
- Fast rebound super cushion insole
- Composite shank
- Soft density EVA
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) & 2E(W)



EXPRESS

13032 GREY

14431 BLACK BLUE

- Composite safety toe
- Microfiber leather and nylon mesh with printed overlay
- 100% Non-metallic cement construction
- Extremely light at 14.8oz. per pair
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Composite shank
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 M/I/C EH
- Extra matching laces in box
- Sizes 7-13, 14 D(M) & 2E(W)
- (12.5 Available)

RENO II 10229 Black

- Composite safety toe
- 100% Non-metallic
- Action leather and nylon mesh upper
- Waterproof membrane
- Fast rebound super cushion insole
- Cement construction
- Highly slip-resistant carbon rubber outsole
- Composite shank
- Mens ASTM F2413-18 M/I/C EH
- Women's ASTM F2413-18 F/I/C EH
- Men's Sizes 7-13, 14, 15 D(M) & 2E(W)
- (12.5 Available)



FULL COURT 50148 NAVY 50147 BLACK

- Composite safety toe
- Extremely light safety basketball style
- (Navy) Mesh and microfiber
- (Black) Mesh and black patent leather
- Weighing 2 lbs. per pair
- Form fitting neoprene internal construction
- Easy on lace/zipper combination
- Fast rebound super cushion insole
- Composite shank
- Slip-resistant rubber outsole
- ASTM F2413-18 M/I/C EH
- Sizes 7-12, 13, 14, 15 D(M) & 2E(W)




RIM FLY

50152 BLACK RED

- Composite safety toe
- TPU overlay and poly fly knit
- Extremely light safety basketball style
- Weighing 2 lbs. per pair
- 100% Non-metallic cement construction
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Composite shank
- Slip-resistant rubber outsole
- ASTM F2413-18 M/I/C EH
- Sizes 7-13, 14, 15 D(M) & 2E(W)
- (12.5 Available)











INSULATED

COLD STORAGE FOOTWEAR

BLAST

60242 BROWN Composite safety toe

- Full-grain leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole 400 gram Thinsulate®
- **EVA** midsole
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14, 15 D(M) and 2E(W)



















BLIZZARD

60150 BROWN

- Soft toe
- Soft full-grain oily brown leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 400 gram Thinsulate®
- Slip-resistant rubber outsole with special ice gripping plugs for slip
- resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM-F2892-18 EH
- Sizes 8-12, 13, 14, D(M) and 2E(W)



















HUDSON

60466 BROWN

- Composite safety toe
- Soft full-grain oily brown leather
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 400 gram Thinsulate®
- Slip-resistant rubber outsole with P/U midsole
- Puncture-resistant midsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH. PR
- Sizes 8-12, 13, 14 D(M) and 2E(W)

CHILLER









60100 BLACK

- Composite safety toe
- Nubuck leather with soft mesh tongue
- HvDrv® waterproof membrane
- Premium P/U memory foam insole
- 600 gram Thinsulate®
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)



CHILLER

60700 BLUE



- Nubuck leather with soft mesh tongue
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- 200 gram Thinsulate®
- EVA midsole
- Slip-resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 M/I/C EH
- Sizes 8-12, 13, 14 D(M) and 2E(W)















WOMEN'S

EXPRESS



- Composite safety toe
- 100% Non-metallic cement construction
- Microfiber leather and nylon mesh with printed overlay
- Extremely light at 14.8oz. per pair
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 F/I/C EH
- Sizes 3-10, 11 B(M) and D(W)
- Extra set of laces included















RENO II

20230 BLACK

- Composite safety toe
- 100% Non-metallic
- Action leather and nylon mesh
- Waterproof membrane
- Fast rebound super cushion insole
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- **Cement construction**
- Highly slip-resistant carbon rubber outsole
- ASTM F2413-18 F/I/C EH
- Sizes 3-10, 11 B(M) and D(W)













LACY













70419 BROWN

70120 BLACK

- Composite safety toe
- Full-grain tumbled leather
- Suede tongue, feminine-touch reflective lace collar, reflective lace loops and side panel
- HyDry® waterproof membrane
- Premium P/U memory foam insole
- Puncture-resistant midsole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- **ASTM F2413-18 F/I/C EH PR**
- Sizes 5-10, 11 B(M) & D(W)
- **Additional colors in Moxie Trades**













LILY

70423 BROWN

- Steel safety toe
- Full-grain tumbled leather
- Suede tongue and padded comfort
- HyDry® waterproof membrane
- Fast rebound insole
- Direct attach dual density slipresistant outsole well suited for environments with oil, water and various chemicals on the floor
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH
- Sizes 5-10, 11 B(M) & D(W)













PG.47 PG.48

RUSHMORE / (SOFT TOE) 🙀 🕮 🕸









93060 BROWN

- Soft toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Premium P/U memory foam insole
- Goodyear welted construction
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH**
- Sizes 5-10,11 B(M)







RUSHMORE / (SOFT TOE)









93050 CHARCOAL

- Soft toe
- Full-grain cow rancher vamp with leather shaft
- Pull handles for easy fit
- Premium P/U memory foam insole
- Goodyear welted construction
- **EVA** midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH**
- Sizes 5-10,11 B(M)





ADAH / (SOFT TOE)









93025 TAN BROWN

- Soft toe
- Full-grain aero tan printed vamp with aero tan 9" leather shaft
- Moisture wicking mesh lining
- Pull handles for easy fit
- Premium P/U memory foam insole
- Cemented construction with EVA midsole
- Slip-resistant rubber outsole
- ASTM F3445-21 Slip-resistant
- **ASTM F2892-18 EH**
- Sizes 5-10, 11 B(M)













HOSS INSOLE GUIDE

UPGRADE YOUR WORK DAY WITH A HOSS INSOLE

SIZES	X-SMALL	SMALL	MEDIUM	LARGE	X-LARGE	2X- LARGE	3X- LARGE	4X- LARGE
MEN'S	3 - 4 - 5	6 - 7	8 - 9	10 - 11	12 - 13	14 - 15	16 - 17	18 - 19
WOMEN'S	5 - 6 - 7	8 - 9	10 - 11					

MEMORY FOAM INSOLE

STYLE 49946

Get that "ahh..." feeling when you step into your shoes with this memory foam insole. Constructed from a soft polyurethane base with gel pressure point pads and a top layer of memory foam for all day comfort.



SUPPORT INSOLE

STYLE 49950

Get the support you need to withstand your work day. The TPU shell creates the support base of this insole with a Polyurethane heel shock pad. Our support insole features Popper foam at the forefoot and a blended cushion throughout with a soft foam top lining.





PG.49

OUTSOLES

LACY **CARTER** ADAM LILY **PROWL** LACER **WORKER**











RANGE K-TOUGH **CARTWRIGHT II CARSON**

HUDSON

RANGER PULL ON

FRONTIER

BRONC 6"



TICKER TIKABOO **TIKABOO MET** STEPPER MET SPARKS SD METEORITE



WE THE PEOPLE



RUSHMORE SHOWDOWN HUNCH LANDON ADAH



WILDFIRE



RIM FLY FULL COURT



BUFORD LOGGER CROSS CUT

BLIZZARD

CHILLER **BLAST**



CHASER SD TRACKER



EXPRESS RENO II



POINT OF PURCHASE DISPLAY





POINT OF PURCHASE BRANDING

HOSS SLAT WALL LOGO DISPLAY

HOSS offers a metal slat wall logo display to highlight the HOSS boot area of your display HOSS boots. Please request wall. Please request one from your sales associate.

HOSS SLAT WALL SHELF DISPLAY

HOSS offers metal slat wall shelves to help display the your them from your sales associate.

HOSS **TABLE TOP DISPLAY**


HOSS offers a metal and wood table top display that is a boot stand. Place your HOSS boot right on top. Please request one from your sales associate.

HOSS **BRANDING IRON**

HOSS offers branding irons in support of customer sales promotions. Please request them from your sales associate. There is limited supply. Minimum purchase required.










PG. 51 PG. 52



INDEX

MOXIE TRADES	53
MT20120/EXHILARATOR/BLACK/COMP	57
MT20320/EXHILARATOR/GREY/COMP	57
MT20518/TINA/BLACK/COMP	60
MT21404/TRISHA/GREY/COMP	58
MT21405/TRISHA/BLUE/COMP	58
MT21406/TRISHA/PINK/COMP	58
MT21407/TRISHA/TURQUOISE/COMP	58
MT21408/TRISHA/PURPLE/COMP	58
MT25058/ANGELINA/PINK/COMP	59
MT26026/LACY 6"/OLIVE/COMP	59
MT26058/LACY 6"/PINK/COMP	59
MT50161/ALICE 6"/TAN/STEEL	60
MT50162/ALICE 6"/PINK/STEEL	60
MT50165/ANNE 8"/BLACK/STEEL	60
MT50180/ZENA SLIP ON/BLACK/COMP	61
MT50181/ZENA SLIP ON/GREY/COMP	61
MT70127/ANGELINA/BLACK/COMP	59



.53 PG.54

ABOUT US

Founded in 2006, Moxie Trades began with the goal of providing home renovation services primarily by teams of women. Fate intervened as the brand grew and it's direction changed to suit the needs of the market. Through sheer grit and determination, Moxie Trades has evolved into the most recognized brand of safety footwear for women in Canada.

In 2018, Moxie Trades partnered with HOSS Boot Company to expand Moxie Trades' product offering and distribute our specialized women's work boots and shoes to retailers across the United States.

The Moxie Trades story is about making the best products with the best brand with the best customer service. Not only do we sell work boots but we share moxie with women everywhere. Moxie Trades is not about the work boots, it's about the women who wear them.

Moxie is the ability to face fear with spirit and courage.

Find Your MOXIE...We Dare YOU!

Marissa McTasney President, Moxie Trades





MOXIE TRADES SYMBOL GUIDE



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat and cold and are good for work in extreme high or low temperatures.



Aluminum toes are made of lightweight materials and tend to be about 30 to 50 percent lighter than steel. Toe boxes provide the same level of safety as steel but offer a bit more room since aluminum is thinner than composite.



Steel safety toes are the industry standard and have been for years. Steel toes provide protection from falling objects and equipment.



Moxie uses membrane technology from Tri-tex® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results available upon request.



Electrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. Moxie EH boots have been tested and pass this standard.



Our flexible puncture resistant plate allows full sole coverage, as well as greater movement. This midsole plate is designed to reduce the hazards of puncture wounds caused by sharp objects penetrating the outsole.



MetGuard™ is a thermal plastic urethane shield made with XRD® Impact Protection technology. It overlays the toe box and runs to the top of the instep, for armor-like protection of the bones of the foot.



This CSA symbol indicates that the product has sole puncture protection with a Grade 1 protective toe for a heavy work environment such as construction, machine shops, or where sharp objects are present.



This symbol indicates electric-shock protective footwear.



This symbol indicates metatarsal protection.

PG.55

EXHILARATOR










TRISHA









MT20120 (BLACK)

MT20320 (GREY)

- Composite Safety Toe
- Breathable mesh with TPU printed overlay toe
- Molded heel counter
- Fast rebound cushion insole
- Injected EVA dual density midsole
- Slip-resistant rubber outsole
- Meets ASTM F2413-18 F/I/C EH
- Sizes 6-10, 11 B(M)



MT21404 (GREY) MT21405 (BLUE)

MT21406 (PINK)

- Composite Safety Toe
- Suede, printed leather and fabric
- Padded collar for comfort
- Fast rebound cushion insole
- Injected EVA dual density midsole
- Slip-resistant rubber outsole
- Meets ASTM F2413-18 F/I/C EH
- Sizes 6-10, 11 B(M)































ANGELINA

MT25058 (PINK) MT70127 (BLACK)

- Composite safety toe
- Pink full-grain nubuck leather
- Black full grain leather
- Soft cushion insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 6-10, 11 B(M)



LACY

MT26058 (PINK) MT26026 (OLIVE)

- Composite safety toe
- Full-grain nubuck leather, suede tongue, feminine-touch lace collar
- Reflective padded collar & lace loops
- Hydry waterproof membrane
- Dual-density rebound foam insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 5-10, 11 B(M) (5.5 Available)
- Additional colors in HOSS



















TINA

MT20518 (BLACK)

- Composite safety toeFull-grain leather with reflective padded collar
- Hydry waterproof membrane
 Dual-density rebound foam insole
 XRD internal metatarsal guard
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant outsole
- ASTM F3445-21 Slip-resistant ASTM F2413-18 F/I/C EH MT PR CSA Approved Grade 1 Sizes 5-10, 11, 12, 13











ALICE

MT50162 (PINK) MT50161 (TAN)

- Steel safety toe
- Full-grain, soft nubuck leather
- Tri-tex® waterproof breathable lining
- Cushion foam insole
- Puncture-resisting midsole
- Direct attach PU/PU slip-resistant
- Extra black lace in box for pink and tan
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH PR
- CSA Approved Grade 1
- Sizes 5, 6-10, 11





















ANNE 8"

MT50165 (BLACK)

- Steel safety toe
- Black leather
- Tri-tex® waterproof breathable lining
- Cushion foam insole
- Puncture-resistant midsole
- Direct attach PU/PU slip-resistant
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 F/I/C EH, PR
- CSA Approved Grade 1
- Sizes 5, 6-10, 11







PG. 60 PG. 59

ZENA SLIP ON

MT50180 (BLACK) MT50181 (GREY)

- Composite safety toe
- Rubber bumper toe for durability
- Knit fabric
- Memory foam insole
- Slip and oil-resisting outsole
- ASTM F2413-18 EH
- Sizes 5, 6-10, 11 D(W)





VEGAS HIKER

MT50121 (BLACK)

- Aluminum safety toe
- Black leather
- Tri-tex® waterproof breathable lining
- Puncture-resistant plate
- Slip-and oil-resistant outsole
- ASTM F3445-21 Slip-resistant
- ASTM F2413-18 EH PR
- CSA Approved Grade 1
- Sizes 5, 6-11 D(W) (10.5 Available)



OUTSOLES

TRISHA EXHILARATOR







ALICE





VEGAS HIKER





ZENA



CONTACT US

888-990-4677

HOURS: MONDAY-FRIDAY 8AM-5PM EST

DIEHARDFOOTWEAR.COM HOSSBOOTS.COM

EMAIL ORDERS: CSORDERS@HOSSBOOTCO.COM









PG. 61 PG. 62

